



Changlin Series of Truck-mounted Loading Crane with Dongfeng Chassis

S/N	Changlin Model	Chassis Model	Dimension(L*W*H) (mm)	Carriage Length before refit (mm)	Carriage Dimension after Refit (L*W*H) (mm)	Crane Model	Operation Weight (kg)	Carrying Ability after Refit
1	CHL5120JSQD	EQ1126KJ1	8465*2470*3500	6100	5300*2294*550(600)	QYS-5II	7600	4600
			8465*2470*3400		5200*2294*550(600)	QYS-5ZII	8300	3900
			8465*2470*3300		5350*2294*550	QYS-4IIA	7000	5300
			8465*2470*3250		5450*2294*550	QYS-3.2II	6800	5400
			8465*2470*3200		5300*2294*550	QYS-3.2ZII	6600	5600
2	CHL5121JSQD	LZ1120LAPT	9000*2470*3300	6500	5850*2294*550	QYS-5II	7830	3985

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn

			9000*2470*3230		5750*2294*550	QYS-5ZII	7530	4285
			9000*2470*3150		5950*2294*550	QYS-4IIA	7330	4485
			9000*2470*3100		6080*2294*550	QYS-4ZII	7130	4685
3	CHL5130JSQD	DFL1140B	9000*2500*3500	6600	5800*2294*550	QYS-6.3III	8700	4600
			9000*2500*3400		5700*2294*550	QYS-6.3ZII	8350	4950
			9000*2500*3280		5900*2294*550	QYS-5II	8150	5150
			9000*2500*3150		6080*2294*550	QYS-5ZII	8000	5300
4	CHL5200JSQD	EQ5201GFJ6	11900*2470*3650		8500*2294*550(800) (5850+1300 轴距)	QYS-8IIIA	13360	6495
			11100*2470*3650		7600*2294*550(800) (5350+1300 轴距)		13210	6645
			11900*2470*3600		8600*2294*550(800) (5850+1300 轴距)	QYS-6.3III	12100	7755
			11100*2470*3600		7750*2294*550(800) (5350+1300 轴距)		11950	7905
			11900*2470*3500		8500*2294*550(800) (5850+1300 轴距)	QYS-6.3ZII	11600	8255
			11100*2470*3500		7650*2294*550(800) (5350+1300 轴距)		11450	8405
			11900*2470*3350		8700*2294*550(800) (5850+1300 轴距)	QYS-5II	11200	8655
			11100*2470*3350		7850*2294*550(800) (5350+1300 轴距)		11050	8805
5	CHL5124JSQD	DFL1120B	9000*2500*3400	6600	5800*2294*550(600)	QYS-5II	7820	3990
			9000*2500*3300		5900*2294*550(600)	QYS-4IIA	7320	4490
			9000*2500*3200		6080*2294*550(600)	QYS-4ZII	7120	4690

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn

6	CHL5090JSQD	EQ1092F3GJ1	7995*2470*3280	5100	4400*2294*550	QYS-4IIA	6000	2905
			7995*2470*3220		4500*2294*550	QYS-3.2II	5750	3155
			7995*2470*3150		4330*2294*550	QYS-3.2ZII	5650	3255
7	CHL5310JSQD	DFL1311A3	11980*2500*3800	9500	8300*2300*550(800)	QYS-12III	17550	13225 3人座 13320 2人座
			11980*2500*3700		8200*2300*550(800)	QYS-12ZIII	17050	13755 3人座 13820 2人座
7	CHL5310JSQD	DFL1311A3	11980*2500*3600	9500	8400*2300*550(800)	QYS-10III	16550	14255 3人座 14320 2人座
			11980*2500*3700		8000*2300*550(800)	QYS-12ZIII(后置)	17150	13655 3人座 13720 2人座
8	CHL5250JSQD	DFL1250A9	11960*2500*3800		8300*2294*800(550) (5700+1300 轴距)	QYS-12III	16195	8600 3人座 8665 2人座
			10960*2500*3800		7300*2294*800(550) (5350+1300 轴距)		16045	8750 3人座 8815 2人座
			11960*2500*3700		8400*2294*800(550) (5700+1300 轴距)	QYS-12ZIII	15795	9000 3人座 9065 2人座
			10960*2500*3700		7400*2294*800(550) (5350+1300 轴距)		15645	9150 3人座 9215 2人座
			11960*2500*3360		8500*2294*800(550) (5700+1300 轴距)	QYS-10III	15495	9300 3人座 9365 2人座
			10960*2500*3600		7500*2294*800(550) (5350+1300 轴距)		15345	9450 3人座 9515 2人座
			11960*2500*3700		8000*2294*800(550) (5700+1300 轴距)	QYS-12ZIII(后置)	15860	8935 3人座 9000 2人座
			10960*2500*3700		7000*2294*800(550)		15710	9085 3人座

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn

					(5350+1300 轴距)			9150 2人座
9	CHL5122JSQD	EQ5121GFJ	9000*2470*3400	6600	5800*2294*550(600)	QYS-5II	8205	4000
			9000*2470*3500		5700*2294*550(600)	QYS-5ZII	8605	3600
			9000*2470*3300		5850*2294*550(600)	QYS-4IIA	7705	4500
			9000*2470*3400		5950*2294*550(600)	QYS-4ZII	7505	4700
			9000*2470*3200		6080*2294*550(600)	QYS-3.2II	7305	4900

Telescopic Specificaiton:

Model Specification	QYS-1.0II	QYS-1.0IIA	QYS-2IIB	QYS-3.2I	QYS-3.2II	QYS-4IIA	QYS-5II	QYS-6.3III	QYS-8IIIA	QYS-10 III	QYS-12 III QYS-12IV
Max Load Moment (KN.m)	20	35	42	64	64	100	125	154.5	240	300	360
Max Load Weight (kg)	1000	1000	2000	3200	3200	4000	5000	6300	8000	10000	12000
Max Woking Range (m)	3.26	4.0	6.0	5.3	7.4	7.4	8.2	10.3	12.2	13.4	13.5 14.2
Max. Lifting Height (m)	3.8	4.7	6.4	5.5	7.8	8.2	8.9	10.8	12.3	14.5	14.2 15.2
Revolution Angle	None										

Telescopic Specificaiton:

Model Specification	QYS-1.0ZII	QYS-2ZIA	QYS-3.2ZII	QYS-4.0ZII	QYS-5ZII	QYS-6.3ZII	QYS-10ZII	QYS-12ZII
Max Load Moment (KN.m)	20	40	64	84	125	126	200	240
Max Load Weight (kg)	1000	2000	3200	4000	5000	6300	10000	12000
Max Woking Range (m)	3.5	4.4	6.6	7.16	8.1	8.2	8.0	10
Max. Lifting Height (m)	4.8	5.3	8.0	8.3	10.2	10.2	9.7	11.7
Revolution Angle	Positive and Negative 360 degree	370 degree rotation	No limit	Positive and Negative 360 degree				

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn