



Changlin Serious Truck-mounted Loading Crane with FOTON Chassis

| S/N | Changlin Model | Chassis Model | Dimension(L*W*H) (mm) | Carriage Length before refit (mm) | Carriage Dimension after Refit (L*W*H) (mm) | Crane Model | Operation Weight (kg) | Carrying Ability after Refit |
|-----|----------------|---------------|-----------------------|-----------------------------------|---|-------------|-----------------------|------------------------------|
| 1 | CHL5040JSQF | BJ1049V9JD6-S | 5595*1900*2800 | 4250 | 3650*1810*380 | QYS-2IIB | 2915 | 1450 |
| | | | 5595*1900*2500 | | 3600*1810*380 | QYS-2ZII | 2865 | 1500 |
| 2 | CHL5121JSQF | BJ1123VJPF8-S | 8965*2500*3400 | 6500 | 5800*2300*550 | QYS-5II | 7320 | 4490 |
| | | | 8965*2500*3500 | | 5700*2300*550 | QYS-5ZII | 7120 | 4690 |
| | | | 8965*2500*3300 | | 5900*2300*550 | QYS-4IIA | 6820 | 4990 |
| | | | 8965*2500*3200 | | 6080*2300*550 | QYS-4ZIIA | 6660 | 5150 |
| 3 | CHL5160JSQF | BJ1167VJPHH-S | 10995*2482*3700 | 8600 | 7700*2300*800(600) | QYS-6.3III | 10560 | 5250 |
| | | | 10995*2482*3600 | | 7800*2300*800(600) | QYS-5II | 10060 | 5750 |

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn

| | | | | | | | | |
|---|-------------|----------------|-----------------|------|--------------------|------------|-------|------|
| | | | 10995*2482*3500 | | 7600*2300*800(600) | QYS-5ZII | 9660 | 6150 |
| 4 | CHL5240JSQF | BJ1247VLCJJ-S | 12000*2495*3850 | 9450 | 8300*2316*800(600) | QYS-10III | 17000 | 7185 |
| | | | 12000*2495*3700 | | 8050*2316*800(600) | QYS-10ZIII | 16500 | 7685 |
| | | | 12000*2495*3600 | | 8400*2316*800(600) | QYS-8IIIA | 15500 | 8685 |
| 5 | CHL5041JSQF | BJ1049V9AD6-SB | 5995*1900*2800 | 3220 | 2650*1810*3800 | QYS-2A | 2720 | 1450 |
| | | | 5995*1900*2500 | | 2580*1810*3800 | QYS-2ZA | 2670 | 1500 |
| 6 | CHL5120JSQF | BJ1120VHPFG-S | 8450*2400*3400 | 6200 | 5400*2100*550 | QYS-5II | 8195 | 3620 |
| | | | 8450*2400*3300 | | 5300*2100*550 | QYS-5ZII | 7845 | 3970 |
| | | | 8450*2400*3200 | | 5460*2100*550 | QYS-4II | 7645 | 4170 |
| | | | 8450*2400*3100 | | 5550*2100*550 | QYS-4ZII | 7455 | 4360 |

Telescopic Specification:

| Model Specification | QYS-1.0II | QYS-1.0IIA | QYS-2IIB | QYS-3.2I | QYS-3.2II | QYS-4IIA | QYS-5II | QYS-6.3III | QYS-8IIIA | QYS-10 III | QYS-12 III QYS-12IV |
|-------------------------|-----------|------------|----------|----------|-----------|----------|---------|------------|-----------|------------|------------------------|
| Max Load Moment (KN.m) | 20 | 35 | 42 | 64 | 64 | 100 | 125 | 154.5 | 240 | 300 | 360 |
| Max Load Weight (kg) | 1000 | 1000 | 2000 | 3200 | 3200 | 4000 | 5000 | 6300 | 8000 | 10000 | 12000 |
| Max Working Range (m) | 3.26 | 4.0 | 6.0 | 5.3 | 7.4 | 7.4 | 8.2 | 10.3 | 12.2 | 13.4 | 13.5 / 14.2 |
| Max. Lifting Height (m) | 3.8 | 4.7 | 6.4 | 5.5 | 7.8 | 8.2 | 8.9 | 10.8 | 12.3 | 14.5 | 14.2 / 15.2 |
| Revolution Angle | None | | | | | | | | | | |

Telescopic Specification:

| Model Specification | QYS-1.0ZII | QYS-2ZIA | QYS-3.2ZII | QYS-4.0ZII | QYS-5ZII | QYS-6.3ZII | QYS-10ZII | QYS-12ZII |
|------------------------|------------|----------|------------|------------|----------|------------|-----------|-----------|
| Max Load Moment (KN.m) | 20 | 40 | 64 | 84 | 125 | 126 | 200 | 240 |
| Max Load Weight (kg) | 1000 | 2000 | 3200 | 4000 | 5000 | 6300 | 10000 | 12000 |
| Max Working Range (m) | 3.5 | 4.4 | 6.6 | 7.16 | 8.1 | 8.2 | 8.0 | 10 |

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn

| | | | | | | | | |
|-------------------------|----------------------------------|---------------------|----------|----------------------------------|------|------|-----|------|
| Max. Lifting Height (m) | 4.8 | 5.3 | 8.0 | 8.3 | 10.2 | 10.2 | 9.7 | 11.7 |
| Revolution Angle | Positive and Negative 360 degree | 370 degree rotation | No limit | Positive and Negative 360 degree | | | | |

Address 地址: No 10 Changlin Road, Changzhou, Jiangsu, China 中国, 江苏, 常州, 常林路 10 号
 Tel 电话 +86-519-86781288 86752400 86781018 Fax 传真: +86-519-86781387
 Website: www.changlin.com.cn Email: sales@changlin.com.cn