

CONCRETE MIXED TRUCK

Address: No. 10 Changlin Road, Changzhou, Jiangsu, China 213002 中国，江苏，常州，常林路 10 号
Tel: +86-519-86781288 86752400 86781018 Fax: +86-519-86781387
Website: www.changlin.com.cn; www.cn-changlin.com Email: changlinexport@yahoo.com
sales@changlin.com.cn

Type		CHL5251GJB		CHL5250GJB		
Quality performance	Overall weight (kg)		24980		24500	
	Overall equipment weight (kg)		11925		9900	
	Max. load weight (kg)		13055		14600	
Overall size (mm)		8100x2490x3750		8480x2490x3794		
Chassis performance and specification	Chassis type		CWB459HMZ(Euro.II let)		ZZ1252N3246F	
	Wheelbase (mm)		3200+1300		3225+1350	
	Tread (mm)		2045/1860		1939/1800	
	Max. speed (Km/h)		96		75	
	Min. steering radius (m)		7.9		9.3	
	Min. ground clearance (mm)		240		314	
	Leave-taking angle (°)		18		22.5	
	Engine		PF6		WD615.68A (69)	
	Model		6-cylinder water-cool/ after-cooled, turbocharged		6-cylinder after-cooled, turbocharged	
	Overall let/power (L/Kw)		12.503/253		9.726/225 (247)	
Mixed cylinder performance	Geometry cubage (m ³)		10.6			
	Available cubage (m ³)		8			
	Tilt angle (°)		14			
	Mixed cylinder speed (r/min)		0~14			
	Turning direction (from back-end)		Material-in wider shins, material-out deasil			
	Material-in speed m ³ /min		≥3			
	Material-out speed m ³ /min		≥2			
	Remainder rate (%)		≤1.0 (80~90mm)			
Rear parts ass'y	Material-in input (long*width) mm		1035X996			
	Material-out output long (mm)		1734			
	lengthen output long (mm)		780			
Hydraulic transmission system	pump	Model	Rexroth A4VTG90HW/32L		Rexroth A4VTG90H W/32R	
		Max. work pressure MPa、 Outlet ml/r	35 、 90			
	Engine	Model	Rexroth AA2FM80/61W			
		Max. work pressure MPa、 Outlet ml/r	35、 80			
	decelerat	Model	German ZF P4300			

Address: No. 10 Changlin Road, Changzhou, Jiangsu, China 213002 中国, 江苏, 常州, 常林路 10 号
 Tel: +86-519-86781288 86752400 86781018 Fax: +86-519-86781387
 Website: www.changlin.com.cn; www.cn-changlin.com Email: changlinexport@yahoo.com
 sales@changlin.com.cn

	er	speed rate	135.3
	Oil tank/radiator		AKG assembled oil tank17L&strong- cold radiator
Water supply system	Water tank cubage (L)/water pump model		250/WP24-180B12(DCP24-180B12)
	Water-supply way		DC electro-motion pump

Address: No. 10 Changlin Road, Changzhou, Jiangsu, China 213002 中国，江苏，常州，常林路 10 号
Tel: +86-519-86781288 86752400 86781018 Fax: +86-519-86781387
Website: www.changlin.com.cn; www.cn-changlin.com Email: changlinexport@yahoo.com
sales@changlin.com.cn